



Field Attachable Fittings



Hardy Spicer, 1/9 Monterey Road, Dandenong South, Victoria, 3175

Toll free Ph: 1300 304 673

www.hardyspicer.com.au

DISCLAIMER

Disclaimer

The information and dimensions listed in these catalogues is correct to the best of our knowledge and belief, having been compiled from reliable and official sources of information. However Hardy Spicer (HS Company Pty Ltd) accepts no responsibility for possible errors, omissions or unsuitable parts being listed or fitted to any vehicle. Dimensions listed are nominal throughout.

Due to our continuous product and range development we reserve the right to alter the specification without prior notice.

We welcome any feedback re suspected errors or omissions to the information enclosed. We can be contacted via email hspicer@hardyspicer.com.au
Or via Ph 03 9794 1900 or Fax 03 97069928
Alternatively via mail at PO Box 4262, Dandenong South, Vic. 3164.

Field Attachable Fittings

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

FIELD ATTACHABLE FITTINGS

CONTENTS

DESCRIPTION:	PART No.	SECTION
FIELD ATTACHABLE FITTINGS		
FIELD ATTACHABLE FERRULES	FAF-1T	D:4-3
FIELD ATTACHABLE FERRULES	FAF-2A	D:4-3
FIELD ATTACHABLE FERRULES	FAF-2T	D:4-3
BSPT MALE	FABM	D:4-4
BSPP FEMALE	FABF	D:4-4
BSPP FEMALE 45°	FABF45	D:4-5
BSPP FEMALE 90° SWEPT	FABF90S	D:4-5
BSPP FEMALE 90° COMPACT	FABF90	D:4-6
JIC MALE	FAJM	D:4-7
JIC FEMALE	FAJF	D:4-7
JIC FEMALE 45°	FAJF45	D:4-8
JIC FEMALE 90° SWEPT	FAJF90S	D:4-8
JIC FEMALE 90° COMPACT	FAJF90	D:4-9
LIFE SAVER	FALS	D:4-9
R5 AUTOMOTIVE FIELD ATTACHABLE FITTINGS		
BSP FEMALE	R5BF	D:4-11
BSPT MALE	R5BM	D:4-11
BSP 45° FEMALE	R5BF45	D:4-11
BSP 90° FEMALE	R5BF90	D:4-12
JIC FEMALE	R5JF	D:4-12
JIC MALE	R5JM	D:4-13
JIC 45° FEMALE	R5JF45	D:4-13
JIC 90° FEMALE	R5JF90	D:4-13
SAE FEMALE	R5SF	D:4-14
NPT MALE	R5NM	D:4-14
INVERTED FLARE MALE SWIVEL	R5IFMS	D:4-14
PUSH-ON FITTINGS		
BSPT MALE	PCBM	D:4-15
BSPP FEMALE	PCBF	D:4-15
BSPP FEMALE 90°	PCBF90	D:4-15
JIC FEMALE	PCJF	D:4-16
JIC FEMALE 90°	PCJF90	D:4-16
JIC MALE	PCJM	D:4-16
SAE FEMALE	PCSF	D:4-17
NPT MALE	PCNM	D:4-17

www.hardyspicer.com.au

Document No:	HSYDCAT
Issue:	5
Issue Date:	01/06/2009

FIELD ATTACHABLE FITTINGS




Field Attachable Fittings

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009


FIELD ATTACHABLE FITTINGS



FIELD ATTACHABLE FERRULE FOR R 1T HOSE

NON SKIVE HOSE


PART NUMBER	HOSE BORE		DIMENSIONS mm		FOR INSERT TYPE
	inch	mm	L	H	
FAF-1T-04	1/4"	6	40	21	STANDARD
FAF-1T-06	3/8"	10	50	26	STANDARD
FAF-1T-08	1/2"	13	51	27	STANDARD
FAF-1T-10	5/8"	16			STANDARD
FAF-1T-12	3/4"	20	62	34	STANDARD
FAF-1T-16	1"	25	74	46	STANDARD
FAF-1T-20#	1-1/4"	32			STANDARD



FIELD ATTACHABLE FERRULE FOR R 2A HOSE

SKIVE HOSE

PART NUMBER	HOSE BORE		SKIVE LENGTH mm +0.5	DIMENSIONS mm		FOR INSERT TYPE
	inch	mm		L	H	
FAF-2A-04	1/4"	6	28	44	19	STANDARD
FAF-2A-06	3/8"	10	34	50	24	STANDARD
FAF-2A-08	1/2"	13	40	51	27	STANDARD
FAF-2A-10	5/8"	16				STANDARD
FAF-2A-12	3/4"	20	44	62	35	STANDARD
FAF-2A-16	1"	25	48	74	46	STANDARD
FAF-2A-20#	1-1/4"	32		85.5	55	STANDARD
FAF-2A-24#	1-1/2"	38		86	61	STANDARD
FAF-2A-32#	2"	50		94	75	STANDARD



FIELD ATTACHABLE FERRULE FOR R 2T HOSE

NON SKIVE HOSE


PART NUMBER	HOSE BORE		DIMENSIONS mm		FOR INSERT TYPE
	inch	mm	L	H	
FAF-2T-04	1/4"	6	40	21	STANDARD
FAF-2T-06	3/8"	10	50	26	STANDARD
FAF-2T-08	1/2"	13	51	27	STANDARD
FAF-2T-10	5/8"	16	50	32	STANDARD
FAF-2T-12	3/4"	20	62	34	STANDARD
FAF-2T-16	1"	25	74	46	STANDARD
FAF-2T-20#	1-1/4"	32	85.5	55	STANDARD
FAF-2T-24#	1-1/2"	38	86	61	STANDARD
FAF-2T-32#	2"	50.8	94	75	STANDARD

www.hardyspicer.com.au

Document No:	HSYDCAT
Issue:	5
Issue Date:	01/06/2009

AVAILABLE ON INDENT BASIS


FIELD ATTACHABLE FITTINGS



FIELD ATTACHABLE BSP MALE

STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm				
		inch	mm	L	B	A	C	H1
FABM-02-04	1/8 - 28	1/4	6					
FABM-04-04	1/4 - 19	1/4	6	65	4	34	16	0.562"
FABM-04-06	1/4 - 19	3/8	10					
FABM-06-04	3/8 - 19	1/4	6					
FABM-06-06	3/8 - 19	3/8	10	72	7	36	17	0.687"
FABM-08-06	1/2 - 14	3/8	10	78	7	42	22	0.875"
FABM-08-08	1/2 - 14	1/2	13	80	10	42	22	0.875"
FABM-12-12	3/4 - 14	3/4	20	96	15	48	22	1.125"
FABM-16-16	1 - 11	1	25	114	21	61	28	1.375"
FABM-20-20#	1-1/4 - 11	1-1/4	32					
FABM-24-24#	1-1/2 - 11	1-1/2	38					



FIELD ATTACHABLE BSPP FEMALE

STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FABF-04-04	1/4 - 19	1/4	6	58	4	27	4	0.562"	19
FABF-04-06	1/4 - 19	3/8	10						
FABF-06-04	3/8 - 19	1/4	6						
FABF-06-06	3/8 - 19	3/8	10	66	7	30	6	0.687"	22
FABF-08-06	1/2 - 14	3/8	10	69	7	33	6	0.875"	27
FABF-08-08	1/2 - 14	1/2	13	71	10	33	6	0.875"	27
FABF-12-12	3/4 - 14	3/4	20	86	15	38	8	1.125"	32
FABF-16-12	1 - 11	1	25						
FABF-16-16	1 - 11	1	25	100	21	47	10	1.375"	41
FABF-20-20#	1-1/4 - 11	1-1/4	32						
FABF-24-24#	1-1/2 - 11	1-1/2	38						

www.hardyspicer.com.au


Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

AVAILABLE ON INDENT BASIS

D:4-4

Field Attachable Fittings


FIELD ATTACHABLE FITTINGS



FIELD ATTACHABLE BSPF FEMALE 45°

STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FABF45-04-04	1/4 - 19	1/4	6	71	4	40	13	0.562"	19
FABF45-06-06	3/8 - 19	3/8	10	81	7	45	16	0.687"	22
FABF45-08-06	1/2 - 14	3/8	10	90	7	50	18	0.687"	27
FABF45-08-08	1/2 - 14	1/2	13	86	10	50	18	0.875"	27
FABF45-12-12	3/4 - 14	3/4	20	106	15	58	21	1.125"	32
FABF45-16-16	1 - 11	1	25	127	21	74	24	1.375"	36
FABF45-20-20#	1-1/4 - 11	1-1/4	32						
FABF45-24-24#	1-1/2 - 11	1-1/2	38						



FIELD ATTACHABLE BSPF FEMALE 90° SWEPT

STANDARD HOSE ENDS


PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FABF90S-04-04	1/4 - 19	1/4	6	63	4	32	24	0.562"	19
FABF90S-06-06	3/8 - 19	3/8	10	74	7	38	30	0.687"	22
FABF90S-08-06	1/2 - 14	3/8	10	79	7	43	37	0.687"	27
FABF90S-08-08	1/2 - 14	1/2	13	81	10	43	37	0.875"	27
FABF90S-12-12	3/4 - 14	3/4	20	102	15	54	46	1.125"	32
FABF90S-16-16	1 - 11	1	25	125	21	72	57	1.375"	41
FABF90S-20-20#	1-1/4 - 11	1-1/4	32						
FABF90S-24-24#	1-1/2 - 11	1-1/2	38						

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

AVAILABLE ON INDENT BASIS

FIELD ATTACHABLE FITTINGS



**FIELD ATTACHABLE BSPP FEMALE 90° COMPACT
STANDARD HOSE ENDS**

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FABF90-04-04	1/4 - 19	1/4	6	49	4		28		
FABF90-06-06	3/8 - 19	3/8	10	60	7		34		
FABF90-08-06	1/2 - 14	3/8	10	73	10		35		
FABF90-08-08	1/2 - 14	1/2	13	61	10		36		
FABF90-12-12	3/4 - 14	3/4	20	85	15		45		
FABF90-16-16	1 - 11	1	25	98	19		54		


Field Attachable Fittings

AVAILABLE ON INDENT BASIS

D:4-6

www.hardyspicer.com.au	
Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009


FIELD ATTACHABLE FITTINGS



FIELD ATTACHABLE JIC MALE

STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	
FAJM-07-04	7/16 - 20	1/4	6	62	4	31	14	0.562"	
FAJM-08-04	1/2 - 20	1/4	6						
FAJM-09-04	9/16 - 18	1/4	6	64	4	33	14	0.687"	
FAJM-09-06	9/16 - 18	3/8	10	69	7	33	14	0.687"	
FAJM-12-06	3/4 - 16	3/8	10	73	7	37	17	0.875"	
FAJM-12-08	3/4 - 16	1/2	13	75	10	37	17	0.875"	
FAJM-14-08	7/8 - 14	1/2	13	79	10	41	19	1.000"	
FAJM-14-10	7/8 - 14	5/8	16						
FAJM-17-12	1-1/16 - 12	3/4	20	96	15	48	22	1.125"	
FAJM-21-16	1-5/16 - 12	1	25	109	21	56	23	1.375"	
FAJM-26-20#	1-5/8 - 12	1-1/4	32						
FAJM-30-24#	1-7/8 - 12	1-1/2	38						



FIELD ATTACHABLE JIC FEMALE

STANDARD HOSE ENDS


PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FAJF-07-04	7/16 - 20	1/4	6	56	4	25	9	0.562"	0.625"
FAJF-08-04	1/2 - 20	1/4	6						
FAJF-09-04	9/16 - 18	1/4	6	58	4	27	10	0.562"	0.687"
FAJF-09-06	9/16 - 18	3/8	10	65	7	29	10	0.687"	0.687"
FAJF-12-06	3/4 - 16	3/8	10	68	7	32	11	0.875"	0.938"
FAJF-12-08	3/4 - 16	1/2	13	70	10	32	11	0.875"	0.938"
FAJF-14-08	7/8 - 14	1/2	13	71	10	33	13	0.875"	1.062"
FAJF-14-10	7/8 - 14	5/8	16						
FAJF-14-12	7/8 - 14	3/4	20						
FAJF-17-08	1-1/16 - 12	1/2	13						
FAJF-17-10	1-1/16 - 12	5/8	16						
FAJF-17-12	1-1/16-12	3/4	20	87	15	39	15	1.125"	1.250"
FAJF-21-16	1-5/16-12	1	25	101	21	48	16	1.375"	1.500"
FAJF-26-20#	1-5/8-12	1-1/4	32						
FAJF-30-24#	1-7/8-12	1-1/2	38						
FAJF-40-32#	2-1/2-12	2	50						

www.hardyspicer.com.au

Document No:	HSYDCAT
Issue:	5
Issue Date:	01/06/2009

AVAILABLE ON INDENT BASIS


FIELD ATTACHABLE FITTINGS



FIELD ATTACHABLE JIC FEMALE 45°

STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FAJF45-07-04	7/16 - 20	1/4	6	73	4	42	16	0.562"	0.625"
FAJF45-09-04	9/16 - 18	1/4	6	78	4	47	18	0.625"	0.687"
FAJF45-09-06	9/16 - 18	3/8	10	84	7	48	18	0.687"	0.687"
FAJF45-12-06	3/4 - 16	3/8	10	88	7	52	21	0.687"	0.938"
FAJF45-12-08	3/4 - 16	1/2	13	90	10	52	21	0.875"	0.938"
FAJF45-14-08	7/8 - 14	1/2	13	94	10	58	23	0.875"	1.062"
FAJF45-17-12	1-1/16-12	3/4	20	106	15	58	21	1.125"	1.250"
FAJF45-21-16	1-5/16-12	1	25	128	21	75	25	1.375"	1.500"
FAJF45-26-20#	1-5/8-12	1-1/4	32						



FIELD ATTACHABLE JIC FEMALE 90° SWEEP

STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FAJF90S-07-04	7/16 - 20	1/4	6	63	4	32	28	0.562"	0.625"
FAJF90S-09-04	9/16 - 18	1/4	6	68	4	37	34	0.625"	0.687"
FAJF90S-09-06	9/16 - 18	3/8	10	74	7	38	34	0.687"	0.687"
FAJF90S-12-06	3/4 - 16	3/8	10	79	10	43	41	0.687"	0.938"
FAJF90S-12-08	3/4 - 16	1/2	13	81	10	43	41	0.875"	0.938"
FAJF90S-14-08	7/8 - 14	1/2	13	86	10	48	46	0.875"	1.062"
FAJF90S-14-10	7/8 - 14	5/8	16						
FAJF90S-17-12	1-1/16-12	3/4	20	102	15	54	47	1.125"	1.250"
FAJF90S-21-16	1-5/16-12	1	25	125	21	72	57	1.375"	1.500"
FAJF90S-26-20#	1-5/8-12	1-1/4	32						

Field Attachable Fittings


www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

AVAILABLE ON INDENT BASIS

D:4-8


FIELD ATTACHABLE FITTINGS



FIELD ATTACHABLE JIC FEMALE 90° COMPACT

STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm						
		inch	mm	L	B	A	C	H1	H2	
FAJF90-07-04	7/16 - 20	1/4	6							
FAJF90-09-04	9/16 - 18	1/4	6	49	7		30			
FAJF90-09-06	9/16 - 18	3/8	10	60	7		33			
FAJF90-12-06	3/4 - 16	3/8	10							
FAJF90-12-08	3/4 - 16	1/2	13	63	10		39			
FAJF90-14-08	7/8 - 14	1/2	13	69	12		41			
FAJF90-17-12	1-1/16-12	3/4	20	80	15		45			



FIELD ATTACHABLE LIFE SAVER

STANDARD HOSE ENDS


PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm						
		inch	mm	L	H					
FALS-04-04	1/4	1/4	6	53	0.562"					
FALS-06-06	3/8	3/8	10	58	0.687"					
FALS-08-08	1/2	1/2	13	60	0.875"					
FALS-12-12	3/4	3/4	20	73	1.125"					
FALS-16-16	1	1	25	86	1.375"					
FALS-20-20#	1-1/4	1-1/4	32							

www.hardyspicer.com.au

Document No:	HSYDCAT
Issue:	5
Issue Date:	01/06/2009

AVAILABLE ON INDENT BASIS

FIELD ATTACHABLE FITTINGS



Field Attachable Fittings


www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

AVAILABLE ON INDENT BASIS


D:4-10

SAE 100R5 FIELD ATTACHABLE FITTINGS PLUS FERRULE




R5 BSPP FEMALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5BF-04-04	1/4 - 19	3/16	4.80	52	29
R5BF-04-05	1/4 - 19	1/4	6.30	52	32.5
R5BF-06-06	3/8 - 19	5/16	7.90	59.4	30.5
R5BF-08-08	1/2 - 14	13/32	10.30	70.1	36.1
R5BF-10-10	5/8 - 14	1/2	12.70	75.4	35.6
R5BF-12-12	3/4 - 14	5/8	15.90	84.6	39.1
R5BF-16-16	1 - 11	7/8	22.00	780	37.6
R5BF-20-20#	1-1/4 - 11	1-1/8	28.60	81.5	37.6
R5BF-24-24#	1-1/2 - 11	1-3/8	34.90	87.1	39.6
R5BF-32-32#	2 - 11	1-13/16	46.10	101.1	39.1



R5 BSPT MALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5BM-02-04	1/8 - 28	3/16	4.80	42.7	23.6
R5BM-04-04	1/4 - 19	3/16	4.80	47.5	28.4
R5BM-06-06	3/8 - 19	5/16	7.90	55.6	32.5
R5BM-08-08	1/2 - 14	13/32	10.30	69.6	39.8
R5BM-12-12	3/4 - 14	5/8	15.90	85.0	41.9
R5BM-16-16	1 - 11	7/8	22.00	77.0	44.4
R5BM-20-20#	1-1/4 - 11	1-1/8	28.60	81.0	46.5
R5BM-24-24#	1-1/2 - 11	1-3/8	34.90	83.6	46.5
R5BM-32-32#	2 - 11	1-13/16	46.10	100.6	52.6



R5 BSPP FEMALE 45°


PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5BF45-04-04	1/4 - 19	3/16	4.80	49.3	30.5
R5BF45-06-06	3/8 - 19	5/16	7.90	64.0	41.1
R5BF45-08-08	1/2 - 14	13/22	10.30	77.7	48.5
R5BF45-10-10	5/8 - 14	1/2	12.70	84.3	51.6
R5BF45-12-12	3/4 - 14	5/8	15.90	98.3	58.4
R5BF45-16-16	1 - 11	7/8	22.00	93.7	61.5
R5BF45-20-20#	1-1/4 - 11	1-1/8	28.60	106.7	72.1
R5BF45-24-24#	1-1/2 - 11	1-3/8	34.90	112.5	75.4

www.hardyspicer.com.au

Document No:	HSYDCAT
Issue:	5
Issue Date:	01/06/2009


AVAILABLE ON INDENT BASIS

SAE 100R5 FIELD ATTACHABLE FITTINGS PLUS FERRULE



R5 BSPP FEMALE 90°

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5BF90-04-04	1/4 - 19	3/16	4.80	44.2	25.1
R5BF90-06-06	3/8 - 19	5/16	7.90	60.4	37.6
R5BF90-08-08	1/2 - 14	13/32	10.30	74.1	45.0
R5BF90-10-10	5/8 - 14	1/2	12.70	81.0	48.3
R5BF90-12-12	3/4 - 14	5/8	15.90	95.0	55.1
R5BF90-16-16	1 - 11	7/8	22.00	90.2	57.9
R5BF90-20-20#	1-1/4 - 11	1-1/8	28.60	105.1	70.6
R5BF90-24-24#	1-1/2 - 11	1-3/8	34.90	112.3	75.2



R5 JIC FEMALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5JF-07-04	7/16 - 20	3/16	4.80	50.0	31.2
R5JF-08-05	1/2 - 20	1/4	6.30	53.8	34.3
R5JF-09-06	9/16 - 18	5/16	7.90	59.2	36.3
R5JF-12-06	3/4 - 16	5/16	7.90	61.5	36.3
R5JF-09-08	9/16 - 18	13/32	10.30	68.1	38.9
R5JF-12-08	3/4 - 16	13/32	10.30	70.6	41.1
R5JF-14-08	7/8 - 14	13/32	10.30	74.9	45.7
R5JF-14-10	7/8 - 14	1/2	12.70	78.7	46.0
R5JF-17-12	1-1/16 - 12	5/8	15.90	88.6	48.8
R5JF-21-16	1-5/16 - 12	7/8	22.00	71.6	39.4
R5JF-26-20#	1-5/8 - 12	1-1/8	28.60	76.2	41.7
R5JF-30-24#	1-7/8 - 12	1-3/8	34.90	83.3	46.5
R5JF-40-32#	2-1/2 - 12	1-13/16	46.10	98.5	51.6

Field Attachable Fittings


www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

AVAILABLE ON INDENT BASIS


D:4-12

SAE 100R5 FIELD ATTACHABLE FITTINGS PLUS FERRULE




R5 JIC MALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5JM-07-04	7/16 - 20	3/16	4.80	45.7	26.9
R5JM-08-05	1/2 - 20	1/4	6.30	50.0	30.0
R5JM-09-06	9/16 - 18	5/16	7.90	53.8	31.0
R5JM-12-08	3/4 - 16	13/32	10.30	65.3	36.1
R5JM-14-10	7/8 - 14	1/2	12.70	73.1	40.6
R5JM-17-12	1-1/16 - 12	5/8	15.90	85.0	45.2
R5JM-21-16	1-5/16 - 12	7/8	22.00	75.2	42.9
R5JM-26-20#	1-5/8 - 12	1-1/8	28.60	81.8	47.2



R5 JIC FEMALE 45°

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5JF45-07-04	7/16 - 20	3/16	4.80	47.0	27.9
R5JF45-08-05	1/2 - 20	1/4	6.30	52.6	32.8
R5JF45-09-06	9/16 - 18	5/16	7.90	56.6	33.8
R5JF45-12-08	3/4 - 16	13/32	10.30	75.9	46.7
R5JF45-14-10	7/8 - 14	1/2	12.70	82.3	49.5
R5JF45-17-12	1-1/16 - 12	5/8	15.90	96.0	56.1
R5JF45-21-16	1-5/16 - 12	7/8	22.00	95.0	62.7
R5JF45-26-20#	1-5/8 - 12	1-1/8	28.60	101.6	67.3
R5JF45-30-24#	1-7/8 - 12	1-3/8	34.90		



R5 JIC FEMALE 90°


PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5JF90-07-04	7/16 - 20	3/16	4.80	44.2	25.1
R5JF90-08-05	1/2 - 20	1/4	6.30	49.8	30.0
R5JF90-09-06	9/16 - 18	5/16	7.90	54.1	31.2
R5JF90-12-08	3/4 - 16	13/32	10.30	70.1	40.9
R5JF90-14-10	7/8 - 14	1/2	12.70	74.7	41.9
R5JF90-17-12	1-1/16 - 12	5/8	15.90	95.0	55.1
R5JF90-21-16	1-5/16 - 12	7/8	22.00	90.2	57.9
R5JF90-26-20#	1-5/8 - 12	1-1/8	28.60	102.1	67.3
R5JF90-30-24#	1-7/8 - 12	1-3/8	34.90		

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009


AVAILABLE ON INDENT BASIS

SAE 100R5 FIELD ATTACHABLE FITTINGS PLUS FERRULE




R5 SAE FEMALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5SF-10-06	5/8 - 18	5/16	7.90	59.9	37.1
R5SF-17-12	1-1/16 - 14	5/8	15.90	88.6	48.8



R5 NPT MALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5NM-02-04	1/8 - 27	3/16	4.80	42.7	23.6
R5NM-04-04	1/4 - 18	3/16	4.80	47.5	28.4
R5NM-04-05	1/4 - 18	1/4	6.30	49.8	30.0
R5NM-04-06	1/4 - 18	5/16	7.90	54.1	31.2
R5NM-06-06	3/8 - 18	5/16	7.90	54.1	31.2
R5NM-06-08	3/8 - 18	13/32	10.30	63.0	33.8
R5NM-08-08	1/2 - 14	13/32	10.30	69.3	40.1
R5NM-12-12	3/4 - 14	5/8	15.90	82.3	42.4
R5NM-16-16	1 - 1-1/2	7/8	22.00	75.9	43.7



R5 IFS MALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5IFMS-07-04	7/16 - 20	3/16	4.80	62.5	43.4
R5IFMS-09-06	9/16 - 18	5/16	7.90	69.1	46.2
R5IFMS-12-08	3/4 - 16	13/32	10.30	81.3	52.1

Field Attachable Fittings


www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

AVAILABLE ON INDENT BASIS

D:4-14

PUSH-ON HOSE ENDS




PUSH-ON COUPLINGS BSPT MALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POBM-02-04	1/8-28	1/4	6.3
POBM-04-04	1/4-19	1/4	6.3
POBM-04-06	1/4-19	3/8	9.5
POBM-06-06	3/8-19	3/8	9.5
POBM-08-08	1/2-14	1/2	12.7
POBM-12-12	3/4-14	3/4	19.0



PUSH-ON COUPLINGS BSP FEMALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POBF-02-04	1/8-28	1/4	6.3
POBF-04-04	1/4-19	1/4	6.3
POBF-06-06	3/8-19	3/8	9.5
POBF-08-08	1/2-14	1/2	12.7
POBF-12-12	3/4-14	3/4	19.0




PUSH-ON COUPLINGS BSP FEMALE 90°

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POBF90-04-04	1/4-19	1/4	6.3
POBF90-06-06	3/8-19	3/8	9.5
POBF90-08-08	1/2-14	1/2	12.7
POBF90-12-12	3/4-14	3/4	19.0

www.hardyspicer.com.au


Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

PUSH-ON HOSE ENDS




PUSH-ON COUPLINGS JIC FEMALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POJF-07-04	7/16-20	1/4	6.3
POJF-08-04	1/2-20	1/4	6.3
POJF-09-06	9/16-18	3/8	9.5
POJF-12-06	3/4-16	3/8	9.5
POJF-12-08	3/4-16	1/2	12.7
POJF-14-08	7/8-14	1/2	12.7
POJF-14-10	7/8-14	5/8	15.9
POJF-17-12	1-1/16-12	3/4	19.0



PUSH-ON COUPLINGS JIC MALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POJM-07-04	7/16-20	1/4	6.3
POJM-09-06	9/16-18	3/8	9.5
POJM-12-06	3/4-16	3/8	9.5
POJM-12-08	3/4-16	1/2	12.7
POJM-14-08	7/8-14	1/2	12.7
POJM-17-12	1-1/16	3/4	19.0



PUSH-ON COUPLINGS JIC FEMALE 90°

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POJF90-07-04	7/16-20	1/4	6.3
POJF90-09-06	9/16-18	3/8	9.5
POJF90-12-08	3/4-16	1/2	12.7
POJF90-17-12	1-1/16 - 12	3/4	19.0


www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

Push On Fittings


Push On Fittings

PUSH-ON HOSE ENDS



PUSH-ON COUPLINGS NPT MALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
PONM-02-04	1/8-27	1/4	6.3
PONM-04-04	1/4-18	1/4	6.3
PONM-04-06	1/4-18	3/8	9.5
PONM-06-06	3/8-18	3/8	9.5
PONM-06-08	3/8-18	1/2	12.7




PUSH-ON COUPLINGS SAE FEMALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POSF-10-06	5/8-18	3/8	9.5
POSF-17-12	1-1/16-14	3/4	19.1

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009

PUSH-ON HOSE ENDS



Push On Fittings

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	5
Issue Date:	01/06/2009